

Visible Glass

Rev: 11.21.17

Egress Requirements	Min. Width	Min. Height	Min. Sq.Ft.
United States	20"	24"	5.70
Canada	15"	15"	3.77

Size	Rough Opening		Net Size		Clear Opening		Clear Opening Sq. Ft.	Egress Compliance		Glass Size		Total Visible Glass Sq. Ft.
	Width	Height	Width	Height	Width	Height		U.S.	Canada	Width	Height	
1 ⁰ 1 ⁰	12	12	11 1/2	11 1/2	-	-	-	-	-	7 3/4	7 3/4	0.32
1 ⁰ 2 ⁰	12	24	11 1/2	23 1/2	-	-	-	-	-	7 3/4	19 3/4	0.88
1 ⁰ 2 ⁶	12	30	11 1/2	29 1/2	-	-	-	-	-	7 3/4	25 3/4	1.16
1 ⁰ 3 ⁰	12	36	11 1/2	35 1/2	-	-	-	-	-	7 3/4	31 3/4	1.44
1 ⁰ 3 ⁶	12	42	11 1/2	41 1/2	-	-	-	-	-	7 3/4	37 3/4	1.72
1 ⁰ 4 ⁰	12	48	11 1/2	47 1/2	-	-	-	-	-	7 3/4	43 3/4	2.00
1 ⁰ 4 ⁶	12	54	11 1/2	53 1/2	-	-	-	-	-	7 3/4	49 3/4	2.29
1 ⁰ 5 ⁰	12	60	11 1/2	59 1/2	-	-	-	-	-	7 3/4	55 3/4	2.57
1 ⁰ 5 ⁶	12	66	11 1/2	65 1/2	-	-	-	-	-	7 3/4	61 3/4	2.85
1 ⁰ 6 ⁰	12	72	11 1/2	71 1/2	-	-	-	-	-	7 3/4	67 3/4	3.13
1 ⁶ 2 ⁰	18	24	17 1/2	23 1/2	-	-	-	-	-	13 3/4	19 3/4	1.66
1 ⁶ 2 ⁶	18	30	17 1/2	29 1/2	-	-	-	-	-	13 3/4	25 3/4	2.19
1 ⁶ 3 ⁰	18	36	17 1/2	35 1/2	-	-	-	-	-	13 3/4	31 3/4	2.72
1 ⁶ 3 ⁶	18	42	17 1/2	41 1/2	-	-	-	-	-	13 3/4	37 3/4	3.25
1 ⁶ 4 ⁰	18	48	17 1/2	47 1/2	-	-	-	-	-	13 3/4	43 3/4	3.79
1 ⁶ 4 ⁶	18	54	17 1/2	53 1/2	-	-	-	-	-	13 3/4	49 3/4	4.32
1 ⁶ 5 ⁰	18	60	17 1/2	59 1/2	-	-	-	-	-	13 3/4	55 3/4	4.85
1 ⁶ 5 ⁶	18	66	17 1/2	65 1/2	-	-	-	-	-	13 3/4	61 3/4	5.38
1 ⁶ 6 ⁰	18	72	17 1/2	71 1/2	-	-	-	-	-	13 3/4	67 3/4	5.91
2 ⁰ 2 ⁰	24	24	23 1/2	23 1/2	-	-	-	-	-	19 3/4	19 3/4	2.44
2 ⁰ 2 ⁶	24	30	23 1/2	29 1/2	-	-	-	-	-	19 3/4	25 3/4	3.22
2 ⁰ 3 ⁰	24	36	23 1/2	35 1/2	-	-	-	-	-	19 3/4	31 3/4	4.00
2 ⁰ 3 ⁶	24	42	23 1/2	41 1/2	-	-	-	-	-	19 3/4	37 3/4	4.79
2 ⁰ 4 ⁰	24	48	23 1/2	47 1/2	-	-	-	-	-	19 3/4	43 3/4	5.57
2 ⁰ 4 ⁶	24	54	23 1/2	53 1/2	-	-	-	-	-	19 3/4	49 3/4	6.35
2 ⁰ 5 ⁰	24	60	23 1/2	59 1/2	-	-	-	-	-	19 3/4	55 3/4	7.13
2 ⁰ 5 ⁶	24	66	23 1/2	65 1/2	-	-	-	-	-	19 3/4	61 3/4	7.91
2 ⁰ 6 ⁰	24	72	23 1/2	71 1/2	-	-	-	-	-	19 3/4	67 3/4	8.69
2 ⁶ 2 ⁰	30	24	29 1/2	23 1/2	-	-	-	-	-	25 3/4	19 3/4	3.22
2 ⁶ 2 ⁶	30	30	29 1/2	29 1/2	-	-	-	-	-	25 3/4	25 3/4	4.25
2 ⁶ 3 ⁰	30	36	29 1/2	35 1/2	-	-	-	-	-	25 3/4	31 3/4	5.29
2 ⁶ 3 ⁶	30	42	29 1/2	41 1/2	-	-	-	-	-	25 3/4	37 3/4	6.32
2 ⁶ 4 ⁰	30	48	29 1/2	47 1/2	-	-	-	-	-	25 3/4	43 3/4	7.35
2 ⁶ 4 ⁶	30	54	29 1/2	53 1/2	-	-	-	-	-	25 3/4	49 3/4	8.38
2 ⁶ 5 ⁰	30	60	29 1/2	59 1/2	-	-	-	-	-	25 3/4	55 3/4	9.41
2 ⁶ 5 ⁶	30	66	29 1/2	65 1/2	-	-	-	-	-	25 3/4	61 3/4	10.44
2 ⁶ 6 ⁰	30	72	29 1/2	71 1/2	-	-	-	-	-	25 3/4	67 3/4	11.47
3 ⁰ 2 ⁰	36	24	35 1/2	23 1/2	-	-	-	-	-	31 3/4	19 3/4	4.00
3 ⁰ 2 ⁶	36	30	35 1/2	29 1/2	-	-	-	-	-	31 3/4	25 3/4	5.29
3 ⁰ 3 ⁰	36	36	35 1/2	35 1/2	-	-	-	-	-	31 3/4	31 3/4	6.57
3 ⁰ 3 ⁶	36	42	35 1/2	41 1/2	-	-	-	-	-	31 3/4	37 3/4	7.85
3 ⁰ 4 ⁰	36	48	35 1/2	47 1/2	-	-	-	-	-	31 3/4	43 3/4	9.13
3 ⁰ 4 ⁶	36	54	35 1/2	53 1/2	-	-	-	-	-	31 3/4	49 3/4	10.41
3 ⁰ 5 ⁰	36	60	35 1/2	59 1/2	-	-	-	-	-	31 3/4	55 3/4	11.69
3 ⁰ 5 ⁶	36	66	35 1/2	65 1/2	-	-	-	-	-	31 3/4	61 3/4	12.97
3 ⁰ 6 ⁰	36	72	35 1/2	71 1/2	-	-	-	-	-	31 3/4	67 3/4	14.25

Visible Glass

Rev: 11.21.17

Egress Requirements	Min. Width	Min. Height	Min. Sq.Ft.
United States	20"	24"	5.70
Canada	15"	15"	3.77

Size	Rough Opening		Net Size		Clear Opening		Clear Opening Sq. Ft.	Egress Compliance		Glass Size		Total Visible Glass Sq. Ft.
	Width	Height	Width	Height	Width	Height		U.S.	Canada	Width	Height	
4 ⁰ 2 ⁰	48	24	47 1/2	23 1/2	-	-	-	-	-	43 3/4	19 3/4	5.57
4 ⁰ 2 ⁶	48	30	47 1/2	29 1/2	-	-	-	-	-	43 3/4	25 3/4	7.35
4 ⁰ 3 ⁰	48	36	47 1/2	35 1/2	-	-	-	-	-	43 3/4	31 3/4	9.13
4 ⁰ 3 ⁶	48	42	47 1/2	41 1/2	-	-	-	-	-	43 3/4	37 3/4	10.91
4 ⁰ 4 ⁰	48	48	47 1/2	47 1/2	-	-	-	-	-	43 3/4	43 3/4	12.69
4 ⁰ 4 ⁶	48	54	47 1/2	53 1/2	-	-	-	-	-	43 3/4	49 3/4	14.47
4 ⁰ 5 ⁰	48	60	47 1/2	59 1/2	-	-	-	-	-	43 3/4	55 3/4	16.25
4 ⁰ 5 ⁶	48	66	47 1/2	65 1/2	-	-	-	-	-	43 3/4	61 3/4	18.04
4 ⁰ 6 ⁰	48	72	47 1/2	71 1/2	-	-	-	-	-	43 3/4	67 3/4	19.82
5 ⁰ 2 ⁰	60	24	59 1/2	23 1/2	-	-	-	-	-	55 3/4	19 3/4	7.13
5 ⁰ 2 ⁶	60	30	59 1/2	29 1/2	-	-	-	-	-	55 3/4	25 3/4	9.41
5 ⁰ 3 ⁰	60	36	59 1/2	35 1/2	-	-	-	-	-	55 3/4	31 3/4	11.69
5 ⁰ 3 ⁶	60	42	59 1/2	41 1/2	-	-	-	-	-	55 3/4	37 3/4	13.97
5 ⁰ 4 ⁰	60	48	59 1/2	47 1/2	-	-	-	-	-	55 3/4	43 3/4	16.25
5 ⁰ 4 ⁶	60	54	59 1/2	53 1/2	-	-	-	-	-	55 3/4	49 3/4	18.54
5 ⁰ 5 ⁰	60	60	59 1/2	59 1/2	-	-	-	-	-	55 3/4	55 3/4	20.82
5 ⁰ 5 ⁶	60	66	59 1/2	65 1/2	-	-	-	-	-	55 3/4	61 3/4	23.10
5 ⁰ 6 ⁰	60	72	59 1/2	71 1/2	-	-	-	-	-	55 3/4	67 3/4	25.38
6 ⁰ 2 ⁰	72	24	71 1/2	23 1/2	-	-	-	-	-	67 3/4	19 3/4	8.69
6 ⁰ 2 ⁶	72	30	71 1/2	29 1/2	-	-	-	-	-	67 3/4	25 3/4	11.47
6 ⁰ 3 ⁰	72	36	71 1/2	35 1/2	-	-	-	-	-	67 3/4	31 3/4	14.25
6 ⁰ 3 ⁶	72	42	71 1/2	41 1/2	-	-	-	-	-	67 3/4	37 3/4	17.04
6 ⁰ 4 ⁰	72	48	71 1/2	47 1/2	-	-	-	-	-	67 3/4	43 3/4	19.82
6 ⁰ 4 ⁶	72	54	71 1/2	53 1/2	-	-	-	-	-	67 3/4	49 3/4	22.60
6 ⁰ 5 ⁰	72	60	71 1/2	59 1/2	-	-	-	-	-	67 3/4	55 3/4	25.38
6 ⁰ 5 ⁶	72	66	71 1/2	65 1/2	-	-	-	-	-	67 3/4	61 3/4	28.16
6 ⁰ 6 ⁰	72	72	71 1/2	71 1/2	-	-	-	-	-	67 3/4	67 3/4	30.94
7 ⁰ 2 ⁰	84	24	83 1/2	23 1/2	-	-	-	-	-	79 3/4	19 3/4	10.25
7 ⁰ 2 ⁶	84	30	83 1/2	29 1/2	-	-	-	-	-	79 3/4	25 3/4	13.54
7 ⁰ 3 ⁰	84	36	83 1/2	35 1/2	-	-	-	-	-	79 3/4	31 3/4	16.82
7 ⁰ 3 ⁶	84	42	83 1/2	41 1/2	-	-	-	-	-	79 3/4	37 3/4	20.10
7 ⁰ 4 ⁰	84	48	83 1/2	47 1/2	-	-	-	-	-	79 3/4	43 3/4	23.38
7 ⁰ 4 ⁶	84	54	83 1/2	53 1/2	-	-	-	-	-	79 3/4	49 3/4	26.66
7 ⁰ 5 ⁰	84	60	83 1/2	59 1/2	-	-	-	-	-	79 3/4	55 3/4	29.94
8 ⁰ 2 ⁰	96	24	95 1/2	23 1/2	-	-	-	-	-	91 3/4	19 3/4	11.82
8 ⁰ 2 ⁶	96	30	95 1/2	29 1/2	-	-	-	-	-	91 3/4	25 3/4	15.60
8 ⁰ 3 ⁰	96	36	95 1/2	35 1/2	-	-	-	-	-	91 3/4	31 3/4	19.38
8 ⁰ 3 ⁶	96	42	95 1/2	41 1/2	-	-	-	-	-	91 3/4	37 3/4	23.16
8 ⁰ 4 ⁰	96	48	95 1/2	47 1/2	-	-	-	-	-	91 3/4	43 3/4	26.94
8 ⁰ 4 ⁶	96	54	95 1/2	53 1/2	-	-	-	-	-	91 3/4	49 3/4	30.72
8 ⁰ 5 ⁰	96	60	95 1/2	59 1/2	-	-	-	-	-	91 3/4	55 3/4	34.50
8 ⁰ 6 ⁰	96	72	95 1/2	71 1/2	-	-	-	-	-	91 3/4	67 3/4	42.07

Visible Glass

Rev: 11.21.17

Egress Requirements	Min. Width	Min. Height	Min. Sq.Ft.
United States	20"	24"	5.70
Canada	15"	15"	3.77

Size	Rough Opening		Net Size		Clear Opening		Clear Opening Sq. Ft.	Egress Compliance		Glass Size		Total Visible Glass Sq. Ft.
	Width	Height	Width	Height	Width	Height		U.S.	Canada	Width	Height	
1 ⁶ 1 ⁶	18	18	17 1/2	17 1/2	-	-	-	-	-	15 5/8	15 5/8	1.17
2 ⁰ 2 ⁰	24	24	23 1/2	23 1/2	-	-	-	-	-	21 5/8	21 5/8	2.32
2 ⁶ 2 ⁶	30	30	29 1/2	29 1/2	-	-	-	-	-	27 5/8	27 5/8	3.87
3 ⁰ 3 ⁰	36	36	35 1/2	35 1/2	-	-	-	-	-	33 5/8	33 5/8	5.81
4 ⁰ 4 ⁰	48	48	47 1/2	47 1/2	-	-	-	-	-	45 5/8	45 5/8	10.86
5 ⁰ 5 ⁰	60	60	59 1/2	59 1/2	-	-	-	-	-	57 5/8	57 5/8	17.49
6 ⁰ 6 ⁰	72	72	71 1/2	71 1/2	-	-	-	-	-	69 5/8	69 5/8	25.69

Ultra™ Series Half Round Picture Windows



Visible Glass

Rev: 11.21.17

Egress Requirements	Min. Width	Min. Height	Min. Sq.Ft.
United States	20"	24"	5.70
Canada	15"	15"	3.77

Size	Rough Opening		Net Size		Clear Opening		Clear Opening Sq. Ft.	Egress Compliance		Glass Size		Total Visible Glass Sq. Ft.
	Width	Height	Width	Height	Width	Height		U.S.	Canada	Width	Height	
2 ⁶ 1 ³	30	15	29 1/2	14 3/4	-	-	-	-	-	27 3/4	13	1.95
3 ⁰ 1 ⁶	36	18	35 1/2	17 3/4	-	-	-	-	-	33 3/4	16	2.92
4 ⁰ 2 ⁰	48	24	47 1/2	23 3/4	-	-	-	-	-	45 3/4	22	5.46
5 ⁰ 2 ⁶	60	30	59 1/2	29 3/4	-	-	-	-	-	57 3/4	28	8.78
6 ⁰ 3 ⁰	72	36	71 1/2	35 3/4	-	-	-	-	-	69 3/4	34	12.89
7 ⁰ 3 ⁶	84	42	83 1/2	41 3/4	-	-	-	-	-	81 3/4	40	17.78
8 ⁰ 4 ⁰	96	48	95 1/2	47 3/4	-	-	-	-	-	93 3/4	46	23.46

Visible Glass

Rev: 11.21.17

Egress Requirements	Min. Width	Min. Height	Min. Sq.Ft.
United States	20"	24"	5.70
Canada	15"	15"	3.77

Size	Rough Opening		Net Size		Clear Opening		Clear Opening Sq. Ft.	Egress Compliance		Glass Size		Total Visible Glass Sq. Ft.
	Width	Height	Width	Height	Width	Height		U.S.	Canada	Width	Height	
2 ⁶ 2 ⁶	30	30	29 1/2	29 1/2	-	-	-	-	-	27 3/4	27 3/4	3.90
3 ⁰ 3 ⁰	36	36	35 1/2	35 1/2	-	-	-	-	-	33 3/4	33 3/4	5.85
3 ⁶ 3 ⁶	42	42	41 1/2	41 1/2	-	-	-	-	-	39 3/4	39 3/4	8.19
4 ⁰ 4 ⁰	48	48	47 1/2	47 1/2	-	-	-	-	-	45 3/4	45 3/4	10.92
5 ⁰ 5 ⁰	60	60	59 1/2	59 1/2	-	-	-	-	-	57 3/4	57 3/4	17.57

Visible Glass

Rev: 11.21.17

Egress Requirements	Min. Width	Min. Height	Min. Sq.Ft.
United States	20"	24"	5.70
Canada	15"	15"	3.77

Size	Rough Opening		Net Size		Clear Opening		Clear Opening Sq. Ft.	Egress Compliance		Glass Size		Total Visible Glass Sq. Ft.
	Width	Height	Width	Height	Width	Height		U.S.	Canada	Width	Height	
3 ⁰ 2 ⁰	36	24	35 1/2	23 1/2	-	-	-	-	-	33 3/4	21 3/4	Visible glass sq. ft. will vary as the legs of the arch change
3 ⁰ 3 ⁰	36	36	35 1/2	35 1/2	-	-	-	-	-	33 3/4	33 3/4	
3 ⁰ 4 ⁰	36	48	35 1/2	47 1/2	-	-	-	-	-	33 3/4	45 3/4	
3 ⁰ 5 ⁰	36	60	35 1/2	59 1/2	-	-	-	-	-	33 3/4	57 3/4	
3 ⁰ 6 ⁰	36	72	35 1/2	71 1/2	-	-	-	-	-	33 3/4	69 3/4	
3 ⁰ 7 ⁰	36	84	35 1/2	83 1/2	-	-	-	-	-	33 3/4	81 3/4	
3 ⁰ 8 ⁰	36	96	35 1/2	95 1/2	-	-	-	-	-	33 3/4	93 3/4	
4 ⁰ 2 ⁰	48	24	47 1/2	23 1/2	-	-	-	-	-	45 3/4	21 3/4	
4 ⁰ 3 ⁰	48	36	47 1/2	35 1/2	-	-	-	-	-	45 3/4	33 3/4	
4 ⁰ 4 ⁰	48	48	47 1/2	47 1/2	-	-	-	-	-	45 3/4	45 3/4	
4 ⁰ 5 ⁰	48	60	47 1/2	59 1/2	-	-	-	-	-	45 3/4	57 3/4	
4 ⁰ 6 ⁰	48	72	47 1/2	71 1/2	-	-	-	-	-	45 3/4	69 3/4	
4 ⁰ 7 ⁰	48	84	47 1/2	83 1/2	-	-	-	-	-	45 3/4	81 3/4	
4 ⁰ 8 ⁰	48	96	47 1/2	95 1/2	-	-	-	-	-	45 3/4	93 3/4	
5 ⁰ 2 ⁰	60	24	59 1/2	23 1/2	-	-	-	-	-	57 3/4	21 3/4	
5 ⁰ 3 ⁰	60	36	59 1/2	35 1/2	-	-	-	-	-	57 3/4	33 3/4	
5 ⁰ 4 ⁰	60	48	59 1/2	47 1/2	-	-	-	-	-	57 3/4	45 3/4	
5 ⁰ 5 ⁰	60	60	59 1/2	59 1/2	-	-	-	-	-	57 3/4	57 3/4	
5 ⁰ 6 ⁰	60	72	59 1/2	71 1/2	-	-	-	-	-	57 3/4	69 3/4	
5 ⁰ 7 ⁰	60	84	59 1/2	83 1/2	-	-	-	-	-	57 3/4	81 3/4	
5 ⁰ 8 ⁰	60	96	59 1/2	95 1/2	-	-	-	-	-	57 3/4	93 3/4	
6 ⁰ 2 ⁰	72	24	71 1/2	23 1/2	-	-	-	-	-	69 3/4	21 3/4	
6 ⁰ 3 ⁰	72	36	71 1/2	35 1/2	-	-	-	-	-	69 3/4	33 3/4	
6 ⁰ 4 ⁰	72	48	71 1/2	47 1/2	-	-	-	-	-	69 3/4	45 3/4	
6 ⁰ 5 ⁰	72	60	71 1/2	59 1/2	-	-	-	-	-	69 3/4	57 3/4	
6 ⁰ 6 ⁰	72	72	71 1/2	71 1/2	-	-	-	-	-	69 3/4	69 3/4	
7 ⁰ 2 ⁰	84	24	83 1/2	23 1/2	-	-	-	-	-	81 3/4	21 3/4	
7 ⁰ 3 ⁰	84	36	83 1/2	35 1/2	-	-	-	-	-	81 3/4	33 3/4	
7 ⁰ 4 ⁰	84	48	83 1/2	47 1/2	-	-	-	-	-	81 3/4	45 3/4	
7 ⁰ 5 ⁰	84	60	83 1/2	59 1/2	-	-	-	-	-	81 3/4	57 3/4	
8 ⁰ 2 ⁰	96	24	95 1/2	23 1/2	-	-	-	-	-	93 3/4	21 3/4	
8 ⁰ 3 ⁰	96	36	95 1/2	35 1/2	-	-	-	-	-	93 3/4	33 3/4	
8 ⁰ 4 ⁰	96	48	95 1/2	47 1/2	-	-	-	-	-	93 3/4	45 3/4	
8 ⁰ 5 ⁰	96	60	95 1/2	59 1/2	-	-	-	-	-	93 3/4	57 3/4	

Visible Glass

Rev: 11.21.17

Egress Requirements	Min. Width	Min. Height	Min. Sq.Ft.
United States	20"	24"	5.70
Canada	15"	15"	3.77

Size	Rough Opening		Net Size		Clear Opening		Clear Opening Sq. Ft.	Egress Compliance		Glass Size		Total Visible Glass Sq. Ft.
	Width	Height	Width	Height	Width	Height		U.S.	Canada	Width	Height	
2 ⁶ 3 ⁶	30	42	29 1/2	41 1/2	-	-	-	-	-	27 5/8	39 3/4	5.92
2 ⁶ 4 ⁰	30	48	29 1/2	47 1/2	-	-	-	-	-	27 5/8	45 3/4	7.03
2 ⁶ 5 ⁰	30	60	29 1/2	59 1/2	-	-	-	-	-	27 5/8	57 3/4	9.25
2 ⁶ 5 ⁶	30	66	29 1/2	65 1/2	-	-	-	-	-	27 5/8	63 3/4	10.36
2 ⁶ 6 ⁰	30	72	29 1/2	71 1/2	-	-	-	-	-	27 5/8	69 3/4	11.47
3 ⁰ 4 ⁶	36	54	35 1/2	53 1/2	-	-	-	-	-	33 5/8	51 3/4	9.69
3 ⁰ 5 ⁰	36	60	35 1/2	59 1/2	-	-	-	-	-	33 5/8	57 3/4	11.04
3 ⁰ 5 ⁶	36	66	35 1/2	65 1/2	-	-	-	-	-	33 5/8	63 3/4	12.40
3 ⁰ 6 ⁰	36	72	35 1/2	71 1/2	-	-	-	-	-	33 5/8	69 3/4	13.76
4 ⁰ 5 ⁰	48	60	47 1/2	59 1/2	-	-	-	-	-	45 5/8	57 3/4	14.31
4 ⁰ 5 ⁶	48	66	47 1/2	65 1/2	-	-	-	-	-	45 5/8	63 3/4	16.17
4 ⁰ 6 ⁰	48	72	47 1/2	71 1/2	-	-	-	-	-	45 5/8	69 3/4	18.03
5 ⁰ 5 ⁶	60	66	59 1/2	65 1/2	-	-	-	-	-	57 5/8	63 3/4	19.50
5 ⁰ 6 ⁰	60	72	59 1/2	71 1/2	-	-	-	-	-	57 5/8	69 3/4	21.86

Visible Glass

Rev: 11.21.17

Egress Requirements	Min. Width	Min. Height	Min. Sq.Ft.
United States	20"	24"	5.70
Canada	15"	15"	3.77

Size	Rough Opening		Net Size		Clear Opening		Clear Opening Sq. Ft.	Egress Compliance		Glass Size		Total Visible Glass Sq. Ft.
	Width	Height	Width	Height	Width	Height		U.S.	Canada	Width	Height	
3 ⁰ 2 ⁰	36	24	35 1/2	23 1/2	-	-	-	-	-	33 3/4	21 3/4	3.81
3 ⁰ 3 ⁰	36	36	35 1/2	35 1/2	-	-	-	-	-	33 3/4	33 3/4	6.54
3 ⁰ 4 ⁰	36	48	35 1/2	47 1/2	-	-	-	-	-	33 3/4	45 3/4	9.26
3 ⁰ 5 ⁰	36	60	35 1/2	59 1/2	-	-	-	-	-	33 3/4	57 3/4	11.99
3 ⁰ 6 ⁰	36	72	35 1/2	71 1/2	-	-	-	-	-	33 3/4	69 3/4	14.72
3 ⁰ 7 ⁰	36	84	35 1/2	83 1/2	-	-	-	-	-	33 3/4	81 3/4	17.45
3 ⁰ 8 ⁰	36	96	35 1/2	95 1/2	-	-	-	-	-	33 3/4	93 3/4	20.18
4 ⁰ 3 ⁰	48	36	47 1/2	35 1/2	-	-	-	-	-	45 3/4	33 3/4	8.53
4 ⁰ 4 ⁰	48	48	47 1/2	47 1/2	-	-	-	-	-	45 3/4	45 3/4	12.26
4 ⁰ 5 ⁰	48	60	47 1/2	59 1/2	-	-	-	-	-	45 3/4	57 3/4	15.99
4 ⁰ 6 ⁰	48	72	47 1/2	71 1/2	-	-	-	-	-	45 3/4	69 3/4	19.72
4 ⁰ 7 ⁰	48	84	47 1/2	83 1/2	-	-	-	-	-	45 3/4	81 3/4	23.45
4 ⁰ 8 ⁰	48	96	47 1/2	95 1/2	-	-	-	-	-	45 3/4	93 3/4	27.18
5 ⁰ 3 ⁰	60	36	59 1/2	35 1/2	-	-	-	-	-	57 3/4	33 3/4	10.31
5 ⁰ 4 ⁰	60	48	59 1/2	47 1/2	-	-	-	-	-	57 3/4	45 3/4	15.04
5 ⁰ 5 ⁶	60	66	59 1/2	65 1/2	-	-	-	-	-	57 3/4	63 3/4	22.13
5 ⁰ 6 ⁰	60	72	59 1/2	71 1/2	-	-	-	-	-	57 3/4	69 3/4	24.50
5 ⁰ 7 ⁰	60	84	59 1/2	83 1/2	-	-	-	-	-	57 3/4	81 3/4	29.23
5 ⁰ 8 ⁰	60	96	59 1/2	95 1/2	-	-	-	-	-	57 3/4	93 3/4	33.96
6 ⁰ 4 ⁰	72	48	71 1/2	47 1/2	-	-	-	-	-	69 3/4	45 3/4	17.60
6 ⁰ 5 ⁰	72	60	71 1/2	59 1/2	-	-	-	-	-	69 3/4	57 3/4	23.33
6 ⁰ 6 ⁰	72	72	71 1/2	71 1/2	-	-	-	-	-	69 3/4	69 3/4	29.06
7 ⁰ 4 ⁰	84	48	83 1/2	47 1/2	-	-	-	-	-	81 3/4	45 3/4	19.96
7 ⁰ 5 ⁰	84	60	83 1/2	59 1/2	-	-	-	-	-	81 3/4	57 3/4	26.68
8 ⁰ 5 ⁰	96	60	95 1/2	59 1/2	-	-	-	-	-	93 3/4	57 3/4	29.82