









# MILGARD® C700 Fiberglass Series




## Min/Max Sizes

### C700 SWING DOORS

	MINIMUM Width X Height	MAXIMUM Width x Height
 1 Panel Door	20-1/4 x 79-1/2	38-3/4 x 95-1/2
 1 Panel 1 Sidelight	35-1/4 x 79-1/2	62-3/4 x 95-1/2
 1 Panel 2 Sidelight	50-1/4 x 79-1/2	86-3/4 x 95-1/2
 2 Panel Door	38 x 79-1/2	75 x 95-1/2
 2 Panel 1 Sidelight	53 x 79-1/2	99 x 95-1/2
 2 Panel 2 Sidelight	68 x 79-1/2	119-1/2 x 95-1/2
 3 Panel Door	55-5/8 x 79-1/2	108-5/16 x 95-1/2
 4 Panel Door	73-1/4 x 79-1/2	143-1/2 x 95-1/2

Sidelight	Min Width 14-3/4	Max Width 23-3/4
Transom	Min Height 12	Max Height 27-1/2

### C700 SLIDING GLASS DOORS








	MINIMUM Width X Height	MAXIMUM Width x Height
 2 Panel Door	47-1/2 x 79-1/2	120 x 96
 3 Panel Door	89-1/2 x 79-1/2	144 x 96
 4 Panel Door	116-5/8 x 79-1/2	189-5/8 x 96
Transom	11-1/2 x 11-1/2	144 x 24










- All sizes listed in inches. Subject to change. Varies by location.
- For engineering approval, contact your Milgard representative for any configuration over 40 square feet.
- Windows over 40 square feet shipped open for field glazing.
- Each Milgard Manufacturing facility reserves the right to alter or change sizes and configurations according to location capabilities.
- Ask your Milgard rep about specialty applications.

For more details, go to [MILGARD.COM/TECHNICAL-RESOURCES](https://www.milgard.com/technical-resources).

# MILGARD® C700 Fiberglass Series

## Min/Max Sizes

C700 CASEMENTS		
	MINIMUM Width X Height	MAXIMUM Width x Height
 Casement	17-1/2 x 20-3/4	36 x 78
 Casement Above	17-1/2 x 37-1/2	36 x 96
 Casement Below	17-1/2 x 37-1/2	36 x 96
 Casement Beside	34-1/4 x 20-3/4	108 x 72
 Casement Two Wide	34-1/4 x 20-3/4	72 x 78
 Casement Three Wide	51 x 20-3/4	108 x 78
 Casement Two Wide Center Picture	51 x 20-3/4	144 x 78

C700 AWNINGS		
	MINIMUM Width X Height	MAXIMUM Width x Height
 Awning	17-1/2 x 17-1/2	60 x 48
 Awning Above	17-1/2 x 34-1/4	60 x 96
 Awning Below	17-1/2 x 34-1/4	60 x 96
 Awning Beside	34-1/4 x 17-1/2	108 x 48
 Awning Two Wide	34-1/4 x 17-1/2	120 x 48
 Awning Three Wide	51 x 17-1/2	108 x 48
 Awning Two Wide Center Picture	51 x 17-1/2	144 x 48
 Awning Two High	17-1/2 x 34-1/4	60 x 96
 Awning Three High	17-1/2 x 51	60 x 96








- All sizes listed in inches. Subject to change. Varies by location.
- For engineering approval, contact your Milgard representative for any configuration over 40 square feet.
- Windows over 40 square feet shipped open for field glazing.
- Each Milgard Manufacturing facility reserves the right to alter or change sizes and configurations according to location capabilities.
- Ask your Milgard rep about specialty applications.

For more details, go to [MILGARD.COM/TECHNICAL-RESOURCES](https://www.milgard.com/technical-resources).


# MILGARD® C700 Fiberglass Series

## Min/Max Sizes










### C700 HORIZONTAL SLIDERS

		MINIMUM Width X Height	MAXIMUM Width x Height
	Half Vent	23-1/2 x 11-1/2	96 x 72
	Single Vent	23-1/2 x 11-1/2	120 x 72
	Double Vent	35-1/2 x 11-1/2	144 x 72
	Half Vent Above	23-1/2 x 23-1/2	96 x 96
	Half Vent Below	23-1/2 x 23-1/2	96 x 96
	Double Vent Above	35-1/2 x 23-1/2	120 x 72
	Double Vent Below	35-1/2 x 23-1/2	120 x 72

### C700 SINGLE HUNG

		MINIMUM Width X Height	MAXIMUM Width x Height
	Single Hung	11-1/2 x 23-1/2	48 x 96
	Single Hung Above	11-1/2 x 35-1/2	48 x 96
	Single Hung Below	11-1/2 x 35-1/2	48 x 96
	Single Hung Two Wide	23-1/2 x 23-1/2	96 x 96
	Single Hung Three Wide	35-1/2 x 23-1/2	143-7/8 x 96
	Single Hung Two Wide Center Picture	35-1/2 x 23-1/2	144 x 96

### C700 PICTURE WINDOWS

		MINIMUM Width X Height	MAXIMUM Width x Height
	Direct Set Picture Window	11-1/2 x 11-1/2	144 x 72 72 x 144
	Slider Picture Window	11-1/2 x 11-1/2	120 x 72 72 x 96
	Slider Picture Two Wide	23-1/2 x 11-1/2	120 x 60
	Slider Picture Three Wide	35-1/2 x 11-1/2	144 x 60
	Slider Picture Two High	11-1/2 x 23-1/2	48 x 96
	Casement/ Awning Picture	17-1/2 x 17-1/2	96 x 72 72 x 78
	Casement/ Awning Picture Two Wide	34-1/4 x 17-1/2	120 x 60
	Casement/ Awning Picture Three Wide	51 x 17-1/2	120 x 60
	Casement/ Awning Picture Two High	17-1/2 x 34-1/4	72 x 96

- All sizes listed in inches. Subject to change. Varies by location.
- For engineering approval, contact your Milgard representative for any configuration over 40 square feet.
- Windows over 40 square feet shipped open for field glazing.
- Each Milgard Manufacturing facility reserves the right to alter or change sizes and configurations according to location capabilities.
- Ask your Milgard rep about specialty applications.

For more details, go to [MILGARD.COM/TECHNICAL-RESOURCES](https://www.milgard.com/technical-resources).