

Visible Glass

Egress Requirements	Min. Width	Min. Height	Min. Sq.Ft.
United States	20"	24"	5.70
Canada	15"	15"	3.77

Size	Rough Opening		Net Size		Clear Opening		Clear Opening Sq. Ft.	Egress Compliance		Glass Size		Total Visible Glass Sq. Ft.
	Width	Height	Width	Height	Width	Height		U.S.	Canada	Width	Height	
1 6 2 0	18	24	17 1/2	23 1/2	-	-	-	-	-	11 1/8	17 1/8	1.13
1 6 2 6	18	30	17 1/2	29 1/2	-	-	-	-	-	11 1/8	23 1/8	1.56
1 6 3 0	18	36	17 1/2	35 1/2	-	-	-	-	-	11 1/8	29 1/8	1.98
1 6 3 6	18	42	17 1/2	41 1/2	-	-	-	-	-	11 1/8	35 1/8	2.40
1 6 4 0	18	48	17 1/2	47 1/2	-	-	-	-	-	11 1/8	41 1/8	2.82
1 6 4 6	18	54	17 1/2	53 1/2	-	-	-	-	-	11 1/8	47 1/8	3.24
1 6 5 0	18	60	17 1/2	59 1/2	-	-	-	-	-	11 1/8	53 1/8	3.67
1 6 5 6	18	66	17 1/2	65 1/2	-	-	-	-	-	11 1/8	59 1/8	4.09
1 6 6 0	18	72	17 1/2	71 1/2	-	-	-	-	-	11 1/8	65 1/8	4.51
1 6 6 6	18	78	17 1/2	77 1/2	-	-	-	-	-	11 1/8	71 1/8	4.93
1 6 7 0	18	84	17 1/2	83 1/2	-	-	-	-	-	11 1/8	77 1/8	5.35
1 6 7 6	18	90	17 1/2	89 1/2	-	-	-	-	-	11 1/8	83 1/8	5.77
1 6 8 0	18	96	17 1/2	95 1/2	-	-	-	-	-	11 1/8	89 1/8	6.20
2 0 2 0	24	24	23 1/2	23 1/2	-	-	-	-	-	17 1/8	17 1/8	1.81
2 0 2 6	24	30	23 1/2	29 1/2	-	-	-	-	-	17 1/8	23 1/8	2.48
2 0 3 0	24	36	23 1/2	35 1/2	-	-	-	-	-	17 1/8	29 1/8	3.15
2 0 3 6	24	42	23 1/2	41 1/2	-	-	-	-	-	17 1/8	35 1/8	3.82
2 0 4 0	24	48	23 1/2	47 1/2	-	-	-	-	-	17 1/8	41 1/8	4.49
2 0 4 6	24	54	23 1/2	53 1/2	-	-	-	-	-	17 1/8	47 1/8	5.17
2 0 5 0	24	60	23 1/2	59 1/2	-	-	-	-	-	17 1/8	53 1/8	5.84
2 0 5 6	24	66	23 1/2	65 1/2	-	-	-	-	-	17 1/8	59 1/8	6.51
2 0 6 0	24	72	23 1/2	71 1/2	-	-	-	-	-	17 1/8	65 1/8	7.18
2 0 6 6	24	78	23 1/2	77 1/2	-	-	-	-	-	17 1/8	71 1/8	7.85
2 0 7 0	24	84	23 1/2	83 1/2	-	-	-	-	-	17 1/8	77 1/8	8.52
2 0 7 6	24	90	23 1/2	89 1/2	-	-	-	-	-	17 1/8	83 1/8	9.20
2 0 8 0	24	96	23 1/2	95 1/2	-	-	-	-	-	17 1/8	89 1/8	9.87
2 6 2 0	30	24	29 1/2	23 1/2	-	-	-	-	-	23 1/8	17 1/8	2.48
2 6 2 6	30	30	29 1/2	29 1/2	-	-	-	-	-	23 1/8	23 1/8	3.40
2 6 3 0	30	36	29 1/2	35 1/2	-	-	-	-	-	23 1/8	29 1/8	4.32
2 6 3 6	30	42	29 1/2	41 1/2	-	-	-	-	-	23 1/8	35 1/8	5.24
2 6 4 0	30	48	29 1/2	47 1/2	-	-	-	-	-	23 1/8	41 1/8	6.17
2 6 4 6	30	54	29 1/2	53 1/2	-	-	-	-	-	23 1/8	47 1/8	7.09
2 6 5 0	30	60	29 1/2	59 1/2	-	-	-	-	-	23 1/8	53 1/8	8.01
2 6 5 6	30	66	29 1/2	65 1/2	-	-	-	-	-	23 1/8	59 1/8	8.93
2 6 6 0	30	72	29 1/2	71 1/2	-	-	-	-	-	23 1/8	65 1/8	9.85
2 6 6 6	30	78	29 1/2	77 1/2	-	-	-	-	-	23 1/8	71 1/8	10.77
2 6 7 0	30	84	29 1/2	83 1/2	-	-	-	-	-	23 1/8	77 1/8	11.70
2 6 7 6	30	90	29 1/2	89 1/2	-	-	-	-	-	23 1/8	83 1/8	12.62
2 6 8 0	30	96	29 1/2	95 1/2	-	-	-	-	-	23 1/8	89 1/8	13.54
3 0 2 0	36	24	35 1/2	23 1/2	-	-	-	-	-	29 1/8	17 1/8	3.15
3 0 2 6	36	30	35 1/2	29 1/2	-	-	-	-	-	29 1/8	23 1/8	4.32
3 0 3 0	36	36	35 1/2	35 1/2	-	-	-	-	-	29 1/8	29 1/8	5.49
3 0 3 6	36	42	35 1/2	41 1/2	-	-	-	-	-	29 1/8	35 1/8	6.67
3 0 4 0	36	48	35 1/2	47 1/2	-	-	-	-	-	29 1/8	41 1/8	7.84
3 0 4 6	36	54	35 1/2	53 1/2	-	-	-	-	-	29 1/8	47 1/8	9.01
3 0 5 0	36	60	35 1/2	59 1/2	-	-	-	-	-	29 1/8	53 1/8	10.18
3 0 5 6	36	66	35 1/2	65 1/2	-	-	-	-	-	29 1/8	59 1/8	11.35
3 0 6 0	36	72	35 1/2	71 1/2	-	-	-	-	-	29 1/8	65 1/8	12.52
3 0 6 6	36	78	35 1/2	77 1/2	-	-	-	-	-	29 1/8	71 1/8	13.70
3 0 7 0	36	84	35 1/2	83 1/2	-	-	-	-	-	29 1/8	77 1/8	14.87
3 0 7 6	36	90	35 1/2	89 1/2	-	-	-	-	-	29 1/8	83 1/8	16.04
3 0 8 0	36	96	35 1/2	95 1/2	-	-	-	-	-	29 1/8	89 1/8	17.21
3 6 2 0	42	24	41 1/2	23 1/2	-	-	-	-	-	35 1/8	17 1/8	3.82
3 6 2 6	42	30	41 1/2	29 1/2	-	-	-	-	-	35 1/8	23 1/8	5.24
3 6 3 0	42	36	41 1/2	35 1/2	-	-	-	-	-	35 1/8	29 1/8	6.67
3 6 3 6	42	42	41 1/2	41 1/2	-	-	-	-	-	35 1/8	35 1/8	8.09
3 6 4 0	42	48	41 1/2	47 1/2	-	-	-	-	-	35 1/8	41 1/8	9.51

Visible Glass

Egress Requirements	Min. Width	Min. Height	Min. Sq.Ft.
United States	20"	24"	5.70
Canada	15"	15"	3.77

Size	Rough Opening		Net Size		Clear Opening		Clear Opening Sq. Ft.	Egress Compliance		Glass Size		Total Visible Glass Sq. Ft.
	Width	Height	Width	Height	Width	Height		U.S.	Canada	Width	Height	
3 6 4 6	42	54	41 1/2	53 1/2	-	-	-	-	-	35 1/8	47 1/8	10.93
3 6 5 0	42	60	41 1/2	59 1/2	-	-	-	-	-	35 1/8	53 1/8	12.35
3 6 5 6	42	66	41 1/2	65 1/2	-	-	-	-	-	35 1/8	59 1/8	13.77
3 6 6 0	42	72	41 1/2	71 1/2	-	-	-	-	-	35 1/8	65 1/8	15.20
3 6 6 6	42	78	41 1/2	77 1/2	-	-	-	-	-	35 1/8	71 1/8	16.62
3 6 7 0	42	84	41 1/2	83 1/2	-	-	-	-	-	35 1/8	77 1/8	18.04
3 6 7 6	42	90	41 1/2	89 1/2	-	-	-	-	-	35 1/8	83 1/8	19.46
3 6 8 0	42	96	41 1/2	95 1/2	-	-	-	-	-	35 1/8	89 1/8	20.88
4 0 2 0	48	24	47 1/2	23 1/2	-	-	-	-	-	41 1/8	17 1/8	4.49
4 0 2 6	48	30	47 1/2	29 1/2	-	-	-	-	-	41 1/8	23 1/8	6.17
4 0 3 0	48	36	47 1/2	35 1/2	-	-	-	-	-	41 1/8	29 1/8	7.84
4 0 3 6	48	42	47 1/2	41 1/2	-	-	-	-	-	41 1/8	35 1/8	9.51
4 0 4 0	48	48	47 1/2	47 1/2	-	-	-	-	-	41 1/8	41 1/8	11.18
4 0 4 6	48	54	47 1/2	53 1/2	-	-	-	-	-	41 1/8	47 1/8	12.85
4 0 5 0	48	60	47 1/2	59 1/2	-	-	-	-	-	41 1/8	53 1/8	14.52
4 0 5 6	48	66	47 1/2	65 1/2	-	-	-	-	-	41 1/8	59 1/8	16.20
4 0 6 0	48	72	47 1/2	71 1/2	-	-	-	-	-	41 1/8	65 1/8	17.87
4 0 6 6	48	78	47 1/2	77 1/2	-	-	-	-	-	41 1/8	71 1/8	19.54
4 0 7 0	48	84	47 1/2	83 1/2	-	-	-	-	-	41 1/8	77 1/8	21.21
4 0 7 6	48	90	47 1/2	89 1/2	-	-	-	-	-	41 1/8	83 1/8	22.88
4 0 8 0	48	96	47 1/2	95 1/2	-	-	-	-	-	41 1/8	89 1/8	24.56
4 6 2 0	54	24	53 1/2	23 1/2	-	-	-	-	-	47 1/8	17 1/8	5.17
4 6 2 6	54	30	53 1/2	29 1/2	-	-	-	-	-	47 1/8	23 1/8	7.09
4 6 3 0	54	36	53 1/2	35 1/2	-	-	-	-	-	47 1/8	29 1/8	9.01
4 6 3 6	54	42	53 1/2	41 1/2	-	-	-	-	-	47 1/8	35 1/8	10.93
4 6 4 0	54	48	53 1/2	47 1/2	-	-	-	-	-	47 1/8	41 1/8	12.85
4 6 4 6	54	54	53 1/2	53 1/2	-	-	-	-	-	47 1/8	47 1/8	14.77
4 6 5 0	54	60	53 1/2	59 1/2	-	-	-	-	-	47 1/8	53 1/8	16.70
4 6 5 6	54	66	53 1/2	65 1/2	-	-	-	-	-	47 1/8	59 1/8	18.62
4 6 6 0	54	72	53 1/2	71 1/2	-	-	-	-	-	47 1/8	65 1/8	20.54
4 6 6 6	54	78	53 1/2	77 1/2	-	-	-	-	-	47 1/8	71 1/8	22.46
4 6 7 0	54	84	53 1/2	83 1/2	-	-	-	-	-	47 1/8	77 1/8	24.38
4 6 7 6	54	90	53 1/2	89 1/2	-	-	-	-	-	47 1/8	83 1/8	26.31
4 6 8 0	54	96	53 1/2	95 1/2	-	-	-	-	-	47 1/8	89 1/8	28.23
5 0 2 0	60	24	59 1/2	23 1/2	-	-	-	-	-	53 1/8	17 1/8	5.84
5 0 2 6	60	30	59 1/2	29 1/2	-	-	-	-	-	53 1/8	23 1/8	8.01
5 0 3 0	60	36	59 1/2	35 1/2	-	-	-	-	-	53 1/8	29 1/8	10.18
5 0 3 6	60	42	59 1/2	41 1/2	-	-	-	-	-	53 1/8	35 1/8	12.35
5 0 4 0	60	48	59 1/2	47 1/2	-	-	-	-	-	53 1/8	41 1/8	14.52
5 0 4 6	60	54	59 1/2	53 1/2	-	-	-	-	-	53 1/8	47 1/8	16.70
5 0 5 0	60	60	59 1/2	59 1/2	-	-	-	-	-	53 1/8	53 1/8	18.87
5 0 5 6	60	66	59 1/2	65 1/2	-	-	-	-	-	53 1/8	59 1/8	21.04
5 0 6 0	60	72	59 1/2	71 1/2	-	-	-	-	-	53 1/8	65 1/8	23.21
5 0 6 6	60	78	59 1/2	77 1/2	-	-	-	-	-	53 1/8	71 1/8	25.38
5 0 7 0	60	84	59 1/2	83 1/2	-	-	-	-	-	53 1/8	77 1/8	27.56
5 0 7 6	60	90	59 1/2	89 1/2	-	-	-	-	-	53 1/8	83 1/8	29.73
5 0 8 0	60	96	59 1/2	95 1/2	-	-	-	-	-	53 1/8	89 1/8	31.90
5 6 2 0	66	24	65 1/2	23 1/2	-	-	-	-	-	59 1/8	17 1/8	6.51
5 6 2 6	66	30	65 1/2	29 1/2	-	-	-	-	-	59 1/8	23 1/8	8.93
5 6 3 0	66	36	65 1/2	35 1/2	-	-	-	-	-	59 1/8	29 1/8	11.35
5 6 3 6	66	42	65 1/2	41 1/2	-	-	-	-	-	59 1/8	35 1/8	13.77
5 6 4 0	66	48	65 1/2	47 1/2	-	-	-	-	-	59 1/8	41 1/8	16.20
5 6 4 6	66	54	65 1/2	53 1/2	-	-	-	-	-	59 1/8	47 1/8	18.62
5 6 5 0	66	60	65 1/2	59 1/2	-	-	-	-	-	59 1/8	53 1/8	21.04
5 6 5 6	66	66	65 1/2	65 1/2	-	-	-	-	-	59 1/8	59 1/8	23.46
5 6 6 0	66	72	65 1/2	71 1/2	-	-	-	-	-	59 1/8	65 1/8	25.88
5 6 6 6	66	78	65 1/2	77 1/2	-	-	-	-	-	59 1/8	71 1/8	28.31

Visible Glass

Egress Requirements	Min. Width	Min. Height	Min. Sq.Ft.
United States	20"	24"	5.70
Canada	15"	15"	3.77

Size	Rough Opening		Net Size		Clear Opening		Clear Opening Sq. Ft.	Egress Compliance		Glass Size		Total Visible Glass Sq. Ft.
	Width	Height	Width	Height	Width	Height		U.S.	Canada	Width	Height	
5 ⁶ 7 ⁰	66	84	65 1/2	83 1/2	-	-	-	-	-	59 1/8	77 1/8	30.73
5 ⁶ 7 ⁶	66	90	65 1/2	89 1/2	-	-	-	-	-	59 1/8	83 1/8	33.15
5 ⁶ 8 ⁰	66	96	65 1/2	95 1/2	-	-	-	-	-	59 1/8	89 1/8	35.57
6 ⁰ 2 ⁰	72	24	71 1/2	23 1/2	-	-	-	-	-	65 1/8	17 1/8	7.18
6 ⁰ 2 ⁶	72	30	71 1/2	29 1/2	-	-	-	-	-	65 1/8	23 1/8	9.85
6 ⁰ 3 ⁰	72	36	71 1/2	35 1/2	-	-	-	-	-	65 1/8	29 1/8	12.52
6 ⁰ 3 ⁶	72	42	71 1/2	41 1/2	-	-	-	-	-	65 1/8	35 1/8	15.20
6 ⁰ 4 ⁰	72	48	71 1/2	47 1/2	-	-	-	-	-	65 1/8	41 1/8	17.87
6 ⁰ 4 ⁶	72	54	71 1/2	53 1/2	-	-	-	-	-	65 1/8	47 1/8	20.54
6 ⁰ 5 ⁰	72	60	71 1/2	59 1/2	-	-	-	-	-	65 1/8	53 1/8	23.21
6 ⁰ 5 ⁶	72	66	71 1/2	65 1/2	-	-	-	-	-	65 1/8	59 1/8	25.88
6 ⁰ 6 ⁰	72	72	71 1/2	71 1/2	-	-	-	-	-	65 1/8	65 1/8	28.56
6 ⁰ 6 ⁶	72	78	71 1/2	77 1/2	-	-	-	-	-	65 1/8	71 1/8	31.23
6 ⁰ 7 ⁰	72	84	71 1/2	83 1/2	-	-	-	-	-	65 1/8	77 1/8	33.90
6 ⁰ 7 ⁶	72	90	71 1/2	89 1/2	-	-	-	-	-	65 1/8	83 1/8	36.57
6 ⁰ 8 ⁰	72	96	71 1/2	95 1/2	-	-	-	-	-	65 1/8	89 1/8	39.24
6 ⁶ 2 ⁰	78	24	77 1/2	23 1/2	-	-	-	-	-	71 1/8	17 1/8	7.85
6 ⁶ 2 ⁶	78	30	77 1/2	29 1/2	-	-	-	-	-	71 1/8	23 1/8	10.77
6 ⁶ 3 ⁰	78	36	77 1/2	35 1/2	-	-	-	-	-	71 1/8	29 1/8	13.70
6 ⁶ 3 ⁶	78	42	77 1/2	41 1/2	-	-	-	-	-	71 1/8	35 1/8	16.62
6 ⁶ 4 ⁰	78	48	77 1/2	47 1/2	-	-	-	-	-	71 1/8	41 1/8	19.54
6 ⁶ 4 ⁶	78	54	77 1/2	53 1/2	-	-	-	-	-	71 1/8	47 1/8	22.46
6 ⁶ 5 ⁰	78	60	77 1/2	59 1/2	-	-	-	-	-	71 1/8	53 1/8	25.38
6 ⁶ 5 ⁶	78	66	77 1/2	65 1/2	-	-	-	-	-	71 1/8	59 1/8	28.31
6 ⁶ 6 ⁰	78	72	77 1/2	71 1/2	-	-	-	-	-	71 1/8	65 1/8	31.23
7 ⁰ 2 ⁰	84	24	83 1/2	23 1/2	-	-	-	-	-	77 1/8	17 1/8	8.52
7 ⁰ 2 ⁶	84	30	83 1/2	29 1/2	-	-	-	-	-	77 1/8	23 1/8	11.70
7 ⁰ 3 ⁰	84	36	83 1/2	35 1/2	-	-	-	-	-	77 1/8	29 1/8	14.87
7 ⁰ 3 ⁶	84	42	83 1/2	41 1/2	-	-	-	-	-	77 1/8	35 1/8	18.04
7 ⁰ 4 ⁰	84	48	83 1/2	47 1/2	-	-	-	-	-	77 1/8	41 1/8	21.21
7 ⁰ 4 ⁶	84	54	83 1/2	53 1/2	-	-	-	-	-	77 1/8	47 1/8	24.38
7 ⁰ 5 ⁰	84	60	83 1/2	59 1/2	-	-	-	-	-	77 1/8	53 1/8	27.56
7 ⁰ 5 ⁶	84	66	83 1/2	65 1/2	-	-	-	-	-	77 1/8	59 1/8	30.73
7 ⁰ 6 ⁰	84	72	83 1/2	71 1/2	-	-	-	-	-	77 1/8	65 1/8	33.90
7 ⁶ 2 ⁰	90	24	89 1/2	23 1/2	-	-	-	-	-	83 1/8	17 1/8	9.20
7 ⁶ 2 ⁶	90	30	89 1/2	29 1/2	-	-	-	-	-	83 1/8	23 1/8	12.62
7 ⁶ 3 ⁰	90	36	89 1/2	35 1/2	-	-	-	-	-	83 1/8	29 1/8	16.04
7 ⁶ 3 ⁶	90	42	89 1/2	41 1/2	-	-	-	-	-	83 1/8	35 1/8	19.46
7 ⁶ 4 ⁰	90	48	89 1/2	47 1/2	-	-	-	-	-	83 1/8	41 1/8	22.88
7 ⁶ 4 ⁶	90	54	89 1/2	53 1/2	-	-	-	-	-	83 1/8	47 1/8	26.31
7 ⁶ 5 ⁰	90	60	89 1/2	59 1/2	-	-	-	-	-	83 1/8	53 1/8	29.73
7 ⁶ 5 ⁶	90	66	89 1/2	65 1/2	-	-	-	-	-	83 1/8	59 1/8	33.15
7 ⁶ 6 ⁰	90	72	89 1/2	71 1/2	-	-	-	-	-	83 1/8	65 1/8	36.57
8 ⁰ 2 ⁰	96	24	95 1/2	23 1/2	-	-	-	-	-	89 1/8	17 1/8	9.87
8 ⁰ 2 ⁶	96	30	95 1/2	29 1/2	-	-	-	-	-	89 1/8	23 1/8	13.54
8 ⁰ 3 ⁰	96	36	95 1/2	35 1/2	-	-	-	-	-	89 1/8	29 1/8	17.21
8 ⁰ 3 ⁶	96	42	95 1/2	41 1/2	-	-	-	-	-	89 1/8	35 1/8	20.88
8 ⁰ 4 ⁰	96	48	95 1/2	47 1/2	-	-	-	-	-	89 1/8	41 1/8	24.56
8 ⁰ 4 ⁶	96	54	95 1/2	53 1/2	-	-	-	-	-	89 1/8	47 1/8	28.23
8 ⁰ 5 ⁰	96	60	95 1/2	59 1/2	-	-	-	-	-	89 1/8	53 1/8	31.90
8 ⁰ 5 ⁶	96	66	95 1/2	65 1/2	-	-	-	-	-	89 1/8	59 1/8	35.57
8 ⁰ 6 ⁰	96	72	95 1/2	71 1/2	-	-	-	-	-	89 1/8	65 1/8	39.24