

Clear Opening and Egress

Rev: 9/28/15

| Egress Requirements | Min. Width | Min. Height | Min. Sq.Ft. |
|---------------------|------------|-------------|-------------|
| United States | 20" | 24" | 5.70 |
| Canada | 15" | 15" | 3.77 |

| Size | Rough Opening | | Net Size | | Clear Opening | | Clear Opening Sq. Ft. | Egress Compliance | | Glass Size | | Total Visible Glass Sq. Ft. |
|-------------------------------|---------------|--------|----------|--------|---------------|----------|--------------------------|-------------------|--------|------------|--------|--------------------------------|
| | Width | Height | Width | Height | Width | Height | | U.S. | Canada | Width | Height | |
| 1 ⁶ 1 ⁶ | 18 | 18 | 17 1/2 | 17 1/2 | 5 13/16 | 12 15/16 | 0.52 | - | - | 12 5/8 | 12 5/8 | 0.94 |
| 1 ⁶ 2 ⁰ | 18 | 24 | 17 1/2 | 23 1/2 | 5 13/16 | 18 15/16 | 0.76 | - | - | 12 5/8 | 18 5/8 | 1.42 |
| 1 ⁶ 2 ⁶ | 18 | 30 | 17 1/2 | 29 1/2 | 5 13/16 | 24 15/16 | 1.01 | - | - | 12 5/8 | 24 5/8 | 1.91 |
| 1 ⁶ 3 ⁰ | 18 | 36 | 17 1/2 | 35 1/2 | 5 13/16 | 30 15/16 | 1.25 | - | - | 12 5/8 | 30 5/8 | 2.39 |
| 1 ⁶ 3 ⁶ | 18 | 42 | 17 1/2 | 41 1/2 | 5 13/16 | 36 15/16 | 1.49 | - | - | 12 5/8 | 36 5/8 | 2.88 |
| 1 ⁶ 4 ⁰ | 18 | 48 | 17 1/2 | 47 1/2 | 5 13/16 | 42 15/16 | 1.73 | - | - | 12 5/8 | 42 5/8 | 3.36 |
| 1 ⁶ 4 ⁶ | 18 | 54 | 17 1/2 | 53 1/2 | 5 13/16 | 48 15/16 | 1.98 | - | - | 12 5/8 | 48 5/8 | 3.84 |
| 1 ⁶ 5 ⁰ | 18 | 60 | 17 1/2 | 59 1/2 | 5 13/16 | 54 15/16 | 2.22 | - | - | 12 5/8 | 54 5/8 | 4.33 |
| 1 ⁶ 5 ⁶ | 18 | 66 | 17 1/2 | 65 1/2 | 5 13/16 | 60 15/16 | 2.46 | - | - | 12 5/8 | 60 5/8 | 4.81 |
| 1 ⁶ 6 ⁰ | 18 | 72 | 17 1/2 | 71 1/2 | 5 13/16 | 66 15/16 | 2.70 | - | - | 12 5/8 | 66 5/8 | 5.30 |
| 2 ⁰ 1 ⁶ | 24 | 18 | 23 1/2 | 17 1/2 | 11 13/16 | 12 15/16 | 1.06 | - | - | 18 5/8 | 12 5/8 | 1.42 |
| 2 ⁰ 2 ⁰ | 24 | 24 | 23 1/2 | 23 1/2 | 11 13/16 | 18 15/16 | 1.55 | - | - | 18 5/8 | 18 5/8 | 2.16 |
| 2 ⁰ 2 ⁶ | 24 | 30 | 23 1/2 | 29 1/2 | 11 13/16 | 24 15/16 | 2.05 | - | - | 18 5/8 | 24 5/8 | 2.89 |
| 2 ⁰ 3 ⁰ | 24 | 36 | 23 1/2 | 35 1/2 | 11 13/16 | 30 15/16 | 2.54 | - | - | 18 5/8 | 30 5/8 | 3.63 |
| 2 ⁰ 3 ⁶ | 24 | 42 | 23 1/2 | 41 1/2 | 11 13/16 | 36 15/16 | 3.03 | - | - | 18 5/8 | 36 5/8 | 4.36 |
| 2 ⁰ 4 ⁰ | 24 | 48 | 23 1/2 | 47 1/2 | 11 13/16 | 42 15/16 | 3.52 | - | - | 18 5/8 | 42 5/8 | 5.09 |
| 2 ⁰ 4 ⁶ | 24 | 54 | 23 1/2 | 53 1/2 | 11 13/16 | 48 15/16 | 4.01 | - | - | 18 5/8 | 48 5/8 | 5.83 |
| 2 ⁰ 5 ⁰ | 24 | 60 | 23 1/2 | 59 1/2 | 11 13/16 | 54 15/16 | 4.51 | - | - | 18 5/8 | 54 5/8 | 6.56 |
| 2 ⁰ 5 ⁶ | 24 | 66 | 23 1/2 | 65 1/2 | 11 13/16 | 60 15/16 | 5.00 | - | - | 18 5/8 | 60 5/8 | 7.30 |
| 2 ⁰ 6 ⁰ | 24 | 72 | 23 1/2 | 71 1/2 | 11 13/16 | 66 15/16 | 5.49 | - | - | 18 5/8 | 66 5/8 | 8.03 |
| 2 ⁶ 1 ⁶ | 30 | 18 | 29 1/2 | 17 1/2 | 22 1/16 | 12 15/16 | 1.98 | - | - | 24 5/8 | 12 5/8 | 1.91 |
| 2 ⁶ 2 ⁰ | 30 | 24 | 29 1/2 | 23 1/2 | 22 1/16 | 18 15/16 | 2.90 | - | - | 24 5/8 | 18 5/8 | 2.89 |
| 2 ⁶ 2 ⁶ | 30 | 30 | 29 1/2 | 29 1/2 | 22 1/16 | 24 15/16 | 3.82 | - | - | 24 5/8 | 24 5/8 | 3.88 |
| 2 ⁶ 3 ⁰ | 30 | 36 | 29 1/2 | 35 1/2 | 22 1/16 | 30 15/16 | 4.74 | - | Y | 24 5/8 | 30 5/8 | 4.86 |
| 2 ⁶ 3 ⁶ | 30 | 42 | 29 1/2 | 41 1/2 | 22 1/16 | 36 15/16 | 5.66 | - | Y | 24 5/8 | 36 5/8 | 5.84 |
| 2 ⁶ 4 ⁰ | 30 | 48 | 29 1/2 | 47 1/2 | 22 1/16 | 42 15/16 | 6.58 | Y | Y | 24 5/8 | 42 5/8 | 6.83 |
| 2 ⁶ 4 ⁶ | 30 | 54 | 29 1/2 | 53 1/2 | 22 1/16 | 48 15/16 | 7.50 | Y | Y | 24 5/8 | 48 5/8 | 7.81 |
| 2 ⁶ 5 ⁰ | 30 | 60 | 29 1/2 | 59 1/2 | 22 1/16 | 54 15/16 | 8.42 | Y | Y | 24 5/8 | 54 5/8 | 8.80 |
| 2 ⁶ 5 ⁶ | 30 | 66 | 29 1/2 | 65 1/2 | 22 1/16 | 60 15/16 | 9.34 | Y | Y | 24 5/8 | 60 5/8 | 9.78 |
| 2 ⁶ 6 ⁰ | 30 | 72 | 29 1/2 | 71 1/2 | 22 1/16 | 66 15/16 | 10.26 | Y | Y | 24 5/8 | 66 5/8 | 10.77 |
| 3 ⁰ 1 ⁶ | 36 | 18 | 35 1/2 | 17 1/2 | 23 13/16 | 12 15/16 | 2.14 | - | - | 30 5/8 | 12 5/8 | 2.39 |
| 3 ⁰ 2 ⁰ | 36 | 24 | 35 1/2 | 23 1/2 | 23 13/16 | 18 15/16 | 3.13 | - | - | 30 5/8 | 18 5/8 | 3.63 |
| 3 ⁰ 2 ⁶ | 36 | 30 | 35 1/2 | 29 1/2 | 23 13/16 | 24 15/16 | 4.12 | - | Y | 30 5/8 | 24 5/8 | 4.86 |
| 3 ⁰ 3 ⁰ | 36 | 36 | 35 1/2 | 35 1/2 | 23 13/16 | 30 15/16 | 5.12 | - | Y | 30 5/8 | 30 5/8 | 6.09 |
| 3 ⁰ 3 ⁶ | 36 | 42 | 35 1/2 | 41 1/2 | 23 13/16 | 36 15/16 | 6.11 | Y | Y | 30 5/8 | 36 5/8 | 7.33 |
| 3 ⁰ 4 ⁰ | 36 | 48 | 35 1/2 | 47 1/2 | 23 13/16 | 42 15/16 | 7.10 | Y | Y | 30 5/8 | 42 5/8 | 8.56 |
| 3 ⁰ 4 ⁶ | 36 | 54 | 35 1/2 | 53 1/2 | 23 13/16 | 48 15/16 | 8.09 | Y | Y | 30 5/8 | 48 5/8 | 9.80 |
| 3 ⁰ 5 ⁰ | 36 | 60 | 35 1/2 | 59 1/2 | 23 13/16 | 54 15/16 | 9.08 | Y | Y | 30 5/8 | 54 5/8 | 11.03 |

Clear Opening and Egress

Rev: 9/28/15

| Egress Requirements | Min. Width | Min. Height | Min. Sq.Ft. |
|---------------------|------------|-------------|-------------|
| United States | 20" | 24" | 5.70 |
| Canada | 15" | 15" | 3.77 |

| Size | Rough Opening | | Net Size | | Clear Opening | | Clear Opening Sq. Ft. | Egress Compliance | | Glass Size | | Total Visible Glass Sq. Ft. |
|-------------------------------|---------------|--------|----------|--------|---------------|--------|--------------------------|-------------------|--------|------------|---------|--------------------------------|
| | Width | Height | Width | Height | Width | Height | | U.S. | Canada | Width | Height | |
| 1 ⁶ 1 ⁶ | 18 | 18 | 17 1/2 | 17 1/2 | 5 3/8 | 12 1/2 | 0.47 | - | - | 12 3/16 | 12 3/16 | 0.87 |
| 1 ⁶ 2 ⁰ | 18 | 24 | 17 1/2 | 23 1/2 | 5 3/8 | 18 1/2 | 0.69 | - | - | 12 3/16 | 18 3/16 | 1.34 |
| 1 ⁶ 2 ⁶ | 18 | 30 | 17 1/2 | 29 1/2 | 5 3/8 | 24 1/2 | 0.91 | - | - | 12 3/16 | 24 3/16 | 1.80 |
| 1 ⁶ 3 ⁰ | 18 | 36 | 17 1/2 | 35 1/2 | 5 3/8 | 30 1/2 | 1.14 | - | - | 12 3/16 | 30 3/16 | 2.27 |
| 1 ⁶ 3 ⁶ | 18 | 42 | 17 1/2 | 41 1/2 | 5 3/8 | 36 1/2 | 1.36 | - | - | 12 3/16 | 36 3/16 | 2.73 |
| 1 ⁶ 4 ⁰ | 18 | 48 | 17 1/2 | 47 1/2 | 5 3/8 | 42 1/2 | 1.59 | - | - | 12 3/16 | 42 3/16 | 3.20 |
| 1 ⁶ 4 ⁶ | 18 | 54 | 17 1/2 | 53 1/2 | 5 3/8 | 48 1/2 | 1.81 | - | - | 12 3/16 | 48 3/16 | 3.67 |
| 1 ⁶ 5 ⁰ | 18 | 60 | 17 1/2 | 59 1/2 | 5 3/8 | 54 1/2 | 2.03 | - | - | 12 3/16 | 54 3/16 | 4.13 |
| 1 ⁶ 5 ⁶ | 18 | 66 | 17 1/2 | 65 1/2 | 5 3/8 | 60 1/2 | 2.26 | - | - | 12 3/16 | 60 3/16 | 4.60 |
| 1 ⁶ 6 ⁰ | 18 | 72 | 17 1/2 | 71 1/2 | 5 3/8 | 66 1/2 | 2.48 | - | - | 12 3/16 | 66 3/16 | 5.06 |
| 2 ⁰ 1 ⁶ | 24 | 18 | 23 1/2 | 17 1/2 | 11 3/8 | 12 1/2 | 0.99 | - | - | 18 3/16 | 12 3/16 | 1.34 |
| 2 ⁰ 2 ⁰ | 24 | 24 | 23 1/2 | 23 1/2 | 11 3/8 | 18 1/2 | 1.46 | - | - | 18 3/16 | 18 3/16 | 2.05 |
| 2 ⁰ 2 ⁶ | 24 | 30 | 23 1/2 | 29 1/2 | 11 3/8 | 24 1/2 | 1.94 | - | - | 18 3/16 | 24 3/16 | 2.77 |
| 2 ⁰ 3 ⁰ | 24 | 36 | 23 1/2 | 35 1/2 | 11 3/8 | 30 1/2 | 2.41 | - | - | 18 3/16 | 30 3/16 | 3.48 |
| 2 ⁰ 3 ⁶ | 24 | 42 | 23 1/2 | 41 1/2 | 11 3/8 | 36 1/2 | 2.88 | - | - | 18 3/16 | 36 3/16 | 4.20 |
| 2 ⁰ 4 ⁰ | 24 | 48 | 23 1/2 | 47 1/2 | 11 3/8 | 42 1/2 | 3.36 | - | - | 18 3/16 | 42 3/16 | 4.92 |
| 2 ⁰ 4 ⁶ | 24 | 54 | 23 1/2 | 53 1/2 | 11 3/8 | 48 1/2 | 3.83 | - | - | 18 3/16 | 48 3/16 | 5.63 |
| 2 ⁰ 5 ⁰ | 24 | 60 | 23 1/2 | 59 1/2 | 11 3/8 | 54 1/2 | 4.31 | - | - | 18 3/16 | 54 3/16 | 6.35 |
| 2 ⁰ 5 ⁶ | 24 | 66 | 23 1/2 | 65 1/2 | 11 3/8 | 60 1/2 | 4.78 | - | - | 18 3/16 | 60 3/16 | 7.06 |
| 2 ⁰ 6 ⁰ | 24 | 72 | 23 1/2 | 71 1/2 | 11 3/8 | 66 1/2 | 5.25 | - | - | 18 3/16 | 66 3/16 | 7.78 |
| 2 ⁶ 1 ⁶ | 30 | 18 | 29 1/2 | 17 1/2 | 21 5/8 | 12 1/2 | 1.88 | - | - | 24 3/16 | 12 3/16 | 1.80 |
| 2 ⁶ 2 ⁰ | 30 | 24 | 29 1/2 | 23 1/2 | 21 5/8 | 18 1/2 | 2.78 | - | - | 24 3/16 | 18 3/16 | 2.77 |
| 2 ⁶ 2 ⁶ | 30 | 30 | 29 1/2 | 29 1/2 | 21 5/8 | 24 1/2 | 3.68 | - | - | 24 3/16 | 24 3/16 | 3.73 |
| 2 ⁶ 3 ⁰ | 30 | 36 | 29 1/2 | 35 1/2 | 21 5/8 | 30 1/2 | 4.58 | - | Y | 24 3/16 | 30 3/16 | 4.70 |
| 2 ⁶ 3 ⁶ | 30 | 42 | 29 1/2 | 41 1/2 | 21 5/8 | 36 1/2 | 5.48 | - | Y | 24 3/16 | 36 3/16 | 5.67 |
| 2 ⁶ 4 ⁰ | 30 | 48 | 29 1/2 | 47 1/2 | 21 5/8 | 42 1/2 | 6.38 | Y | Y | 24 3/16 | 42 3/16 | 6.63 |
| 2 ⁶ 4 ⁶ | 30 | 54 | 29 1/2 | 53 1/2 | 21 5/8 | 48 1/2 | 7.28 | Y | Y | 24 3/16 | 48 3/16 | 7.60 |
| 2 ⁶ 5 ⁰ | 30 | 60 | 29 1/2 | 59 1/2 | 21 5/8 | 54 1/2 | 8.18 | Y | Y | 24 3/16 | 54 3/16 | 8.56 |
| 2 ⁶ 5 ⁶ | 30 | 66 | 29 1/2 | 65 1/2 | 21 5/8 | 60 1/2 | 9.09 | Y | Y | 24 3/16 | 60 3/16 | 9.53 |
| 2 ⁶ 6 ⁰ | 30 | 72 | 29 1/2 | 71 1/2 | 21 5/8 | 66 1/2 | 9.99 | Y | Y | 24 3/16 | 66 3/16 | 10.50 |
| 3 ⁰ 1 ⁶ | 36 | 18 | 35 1/2 | 17 1/2 | 23 3/8 | 12 1/2 | 2.03 | - | - | 30 3/16 | 12 3/16 | 2.27 |
| 3 ⁰ 2 ⁰ | 36 | 24 | 35 1/2 | 23 1/2 | 23 3/8 | 18 1/2 | 3.00 | - | - | 30 3/16 | 18 3/16 | 3.48 |
| 3 ⁰ 2 ⁶ | 36 | 30 | 35 1/2 | 29 1/2 | 23 3/8 | 24 1/2 | 3.98 | - | Y | 30 3/16 | 24 3/16 | 4.70 |
| 3 ⁰ 3 ⁰ | 36 | 36 | 35 1/2 | 35 1/2 | 23 3/8 | 30 1/2 | 4.95 | - | Y | 30 3/16 | 30 3/16 | 5.92 |
| 3 ⁰ 3 ⁶ | 36 | 42 | 35 1/2 | 41 1/2 | 23 3/8 | 36 1/2 | 5.92 | Y | Y | 30 3/16 | 36 3/16 | 7.13 |
| 3 ⁰ 4 ⁰ | 36 | 48 | 35 1/2 | 47 1/2 | 23 3/8 | 42 1/2 | 6.90 | Y | Y | 30 3/16 | 42 3/16 | 8.35 |
| 3 ⁰ 4 ⁶ | 36 | 54 | 35 1/2 | 53 1/2 | 23 3/8 | 48 1/2 | 7.87 | Y | Y | 30 3/16 | 48 3/16 | 9.56 |
| 3 ⁰ 5 ⁰ | 36 | 60 | 35 1/2 | 59 1/2 | 23 3/8 | 54 1/2 | 8.85 | Y | Y | 30 3/16 | 54 3/16 | 10.78 |

Clear Opening and Egress

Rev: 9/28/15

| Egress Requirements | Min. Width | Min. Height | Min. Sq.Ft. |
|---------------------|------------|-------------|-------------|
| United States | 20" | 24" | 5.70 |
| Canada | 15" | 15" | 3.77 |

| Size | Rough Opening | | Net Size | | Clear Opening | | Clear Opening Sq. Ft. | Egress Compliance | | Glass Size | | Total Visible Glass Sq. Ft. |
|-------------------------------|---------------|--------|----------|--------|---------------|----------|--------------------------|-------------------|--------|------------|--------|--------------------------------|
| | Width | Height | Width | Height | Width | Height | | U.S. | Canada | Width | Height | |
| 3 ⁰ 1 ⁶ | 36 | 18 | 35 1/2 | 17 1/2 | 6 5/16 | 12 15/16 | 0.57 | - | - | 13 1/8 | 12 5/8 | 1.96 |
| 3 ⁰ 2 ⁰ | 36 | 24 | 35 1/2 | 23 1/2 | 6 5/16 | 18 15/16 | 0.83 | - | - | 13 1/8 | 18 5/8 | 2.97 |
| 3 ⁰ 2 ⁶ | 36 | 30 | 35 1/2 | 29 1/2 | 6 5/16 | 24 15/16 | 1.09 | - | - | 13 1/8 | 24 5/8 | 3.98 |
| 3 ⁰ 3 ⁰ | 36 | 36 | 35 1/2 | 35 1/2 | 6 5/16 | 30 15/16 | 1.36 | - | - | 13 1/8 | 30 5/8 | 4.99 |
| 3 ⁰ 4 ⁰ | 36 | 48 | 35 1/2 | 47 1/2 | 6 5/16 | 42 15/16 | 1.88 | - | - | 13 1/8 | 42 5/8 | 7.01 |
| 3 ⁰ 4 ⁶ | 36 | 54 | 35 1/2 | 53 1/2 | 6 5/16 | 48 15/16 | 2.15 | - | - | 13 1/8 | 48 5/8 | 8.02 |
| 3 ⁰ 5 ⁰ | 36 | 60 | 35 1/2 | 59 1/2 | 6 5/16 | 54 15/16 | 2.41 | - | - | 13 1/8 | 54 5/8 | 9.03 |
| 4 ⁰ 2 ⁰ | 48 | 24 | 47 1/2 | 23 1/2 | 12 5/16 | 18 15/16 | 1.62 | - | - | 19 1/8 | 18 5/8 | 4.44 |
| 4 ⁰ 2 ⁶ | 48 | 30 | 47 1/2 | 29 1/2 | 12 5/16 | 24 15/16 | 2.13 | - | - | 19 1/8 | 24 5/8 | 5.95 |
| 4 ⁰ 3 ⁰ | 48 | 36 | 47 1/2 | 35 1/2 | 12 5/16 | 30 15/16 | 2.65 | - | - | 19 1/8 | 30 5/8 | 7.46 |
| 4 ⁰ 3 ⁶ | 48 | 42 | 47 1/2 | 41 1/2 | 12 5/16 | 36 15/16 | 3.16 | - | - | 19 1/8 | 36 5/8 | 8.97 |
| 4 ⁰ 4 ⁰ | 48 | 48 | 47 1/2 | 47 1/2 | 12 5/16 | 42 15/16 | 3.67 | - | - | 19 1/8 | 42 5/8 | 10.48 |
| 4 ⁰ 4 ⁶ | 48 | 54 | 47 1/2 | 53 1/2 | 12 5/16 | 48 15/16 | 4.18 | - | - | 19 1/8 | 48 5/8 | 11.99 |
| 4 ⁰ 5 ⁰ | 48 | 60 | 47 1/2 | 59 1/2 | 12 5/16 | 54 15/16 | 4.70 | - | - | 19 1/8 | 54 5/8 | 13.50 |
| 4 ⁰ 5 ⁶ | 48 | 66 | 47 1/2 | 65 1/2 | 12 5/16 | 60 15/16 | 5.21 | - | - | 19 1/8 | 60 5/8 | 15.01 |
| 4 ⁰ 6 ⁰ | 48 | 72 | 47 1/2 | 71 1/2 | 12 5/16 | 66 15/16 | 5.72 | - | - | 19 1/8 | 66 5/8 | 16.52 |
| 5 ⁰ 2 ⁰ | 60 | 24 | 59 1/2 | 23 1/2 | 22 9/16 | 18 15/16 | 2.97 | - | - | 25 1/8 | 18 5/8 | 5.91 |
| 5 ⁰ 2 ⁶ | 60 | 30 | 59 1/2 | 29 1/2 | 22 9/16 | 24 15/16 | 3.91 | - | Y | 25 1/8 | 24 5/8 | 7.92 |
| 5 ⁰ 3 ⁰ | 60 | 36 | 59 1/2 | 35 1/2 | 22 9/16 | 30 15/16 | 4.85 | - | Y | 25 1/8 | 30 5/8 | 9.93 |
| 5 ⁰ 3 ⁶ | 60 | 42 | 59 1/2 | 41 1/2 | 22 9/16 | 36 15/16 | 5.79 | Y | Y | 25 1/8 | 36 5/8 | 11.94 |
| 5 ⁰ 4 ⁰ | 60 | 48 | 59 1/2 | 47 1/2 | 22 9/16 | 42 15/16 | 6.73 | Y | Y | 25 1/8 | 42 5/8 | 13.95 |
| 5 ⁰ 4 ⁶ | 60 | 54 | 59 1/2 | 53 1/2 | 22 9/16 | 48 15/16 | 7.67 | Y | Y | 25 1/8 | 48 5/8 | 15.96 |
| 5 ⁰ 5 ⁰ | 60 | 60 | 59 1/2 | 59 1/2 | 22 9/16 | 54 15/16 | 8.61 | Y | Y | 25 1/8 | 54 5/8 | 17.97 |
| 5 ⁰ 5 ⁶ | 60 | 66 | 59 1/2 | 65 1/2 | 22 9/16 | 60 15/16 | 9.55 | Y | Y | 25 1/8 | 60 5/8 | 19.98 |
| 5 ⁰ 6 ⁰ | 60 | 72 | 59 1/2 | 71 1/2 | 22 9/16 | 66 15/16 | 10.49 | Y | Y | 25 1/8 | 66 5/8 | 21.99 |
| 6 ⁰ 2 ⁰ | 72 | 24 | 71 1/2 | 23 1/2 | 24 5/16 | 18 15/16 | 3.20 | - | - | 31 1/8 | 18 5/8 | 7.37 |
| 6 ⁰ 2 ⁶ | 72 | 30 | 71 1/2 | 29 1/2 | 24 5/16 | 24 15/16 | 4.21 | - | Y | 31 1/8 | 24 5/8 | 9.88 |
| 6 ⁰ 3 ⁰ | 72 | 36 | 71 1/2 | 35 1/2 | 24 5/16 | 30 15/16 | 5.22 | - | Y | 31 1/8 | 30 5/8 | 12.40 |
| 6 ⁰ 3 ⁶ | 72 | 42 | 71 1/2 | 41 1/2 | 24 5/16 | 36 15/16 | 6.24 | Y | Y | 31 1/8 | 36 5/8 | 14.91 |
| 6 ⁰ 4 ⁰ | 72 | 48 | 71 1/2 | 47 1/2 | 24 5/16 | 42 15/16 | 7.25 | Y | Y | 31 1/8 | 42 5/8 | 17.42 |
| 6 ⁰ 5 ⁰ | 72 | 60 | 71 1/2 | 59 1/2 | 24 5/16 | 54 15/16 | 9.28 | Y | Y | 31 1/8 | 54 5/8 | 22.44 |

Clear Opening and Egress

| Egress Requirements | Min. Width | Min. Height | Min. Sq.Ft. |
|---------------------|------------|-------------|-------------|
| United States | 20" | 24" | 5.70 |
| Canada | 15" | 15" | 3.77 |

| Size | Rough Opening | | Net Size | | Clear Opening | | Clear Opening Sq. Ft. | Egress Compliance | | Glass Size | | Total Visible Glass Sq. Ft. |
|-------------------------------|---------------|--------|----------|--------|---------------|--------|--------------------------|-------------------|--------|------------|---------|--------------------------------|
| | Width | Height | Width | Height | Width | Height | | U.S. | Canada | Width | Height | |
| 3 ⁰ 1 ⁶ | 36 | 18 | 35 1/2 | 17 1/2 | 5 13/16 | 12 1/2 | 0.50 | - | - | 12 7/8 | 12 3/16 | 1.85 |
| 3 ⁰ 2 ⁰ | 36 | 24 | 35 1/2 | 23 1/2 | 5 13/16 | 18 1/2 | 0.75 | - | - | 12 7/8 | 18 3/16 | 2.83 |
| 3 ⁰ 2 ⁶ | 36 | 30 | 35 1/2 | 29 1/2 | 5 13/16 | 24 1/2 | 0.99 | - | - | 12 7/8 | 24 3/16 | 3.82 |
| 3 ⁰ 3 ⁰ | 36 | 36 | 35 1/2 | 35 1/2 | 5 13/16 | 30 1/2 | 1.23 | - | - | 12 7/8 | 30 3/16 | 4.81 |
| 3 ⁰ 4 ⁰ | 36 | 48 | 35 1/2 | 47 1/2 | 5 13/16 | 42 1/2 | 1.72 | - | - | 12 7/8 | 42 3/16 | 6.79 |
| 3 ⁰ 4 ⁶ | 36 | 54 | 35 1/2 | 53 1/2 | 5 13/16 | 48 1/2 | 1.96 | - | - | 12 7/8 | 48 3/16 | 7.78 |
| 3 ⁰ 5 ⁰ | 36 | 60 | 35 1/2 | 59 1/2 | 5 13/16 | 54 1/2 | 2.20 | - | - | 12 7/8 | 54 3/16 | 8.77 |
| 4 ⁰ 2 ⁰ | 48 | 24 | 47 1/2 | 23 1/2 | 11 13/16 | 18 1/2 | 1.52 | - | - | 18 7/8 | 18 3/16 | 4.27 |
| 4 ⁰ 2 ⁶ | 48 | 30 | 47 1/2 | 29 1/2 | 11 13/16 | 24 1/2 | 2.01 | - | - | 18 7/8 | 24 3/16 | 5.76 |
| 4 ⁰ 3 ⁰ | 48 | 36 | 47 1/2 | 35 1/2 | 11 13/16 | 30 1/2 | 2.50 | - | - | 18 7/8 | 30 3/16 | 7.25 |
| 4 ⁰ 3 ⁶ | 48 | 42 | 47 1/2 | 41 1/2 | 11 13/16 | 36 1/2 | 2.99 | - | - | 18 7/8 | 36 3/16 | 8.74 |
| 4 ⁰ 4 ⁰ | 48 | 48 | 47 1/2 | 47 1/2 | 11 13/16 | 42 1/2 | 3.49 | - | - | 18 7/8 | 42 3/16 | 10.23 |
| 4 ⁰ 4 ⁶ | 48 | 54 | 47 1/2 | 53 1/2 | 11 13/16 | 48 1/2 | 3.98 | - | - | 18 7/8 | 48 3/16 | 11.71 |
| 4 ⁰ 5 ⁰ | 48 | 60 | 47 1/2 | 59 1/2 | 11 13/16 | 54 1/2 | 4.47 | - | - | 18 7/8 | 54 3/16 | 13.20 |
| 4 ⁰ 5 ⁶ | 48 | 66 | 47 1/2 | 65 1/2 | 11 13/16 | 60 1/2 | 4.96 | - | - | 18 7/8 | 60 3/16 | 14.69 |
| 4 ⁰ 6 ⁰ | 48 | 72 | 47 1/2 | 71 1/2 | 11 13/16 | 66 1/2 | 5.46 | - | - | 18 7/8 | 66 3/16 | 16.18 |
| 5 ⁰ 2 ⁰ | 60 | 24 | 59 1/2 | 23 1/2 | 22 1/16 | 18 1/2 | 2.83 | - | - | 24 7/8 | 18 3/16 | 5.70 |
| 5 ⁰ 2 ⁶ | 60 | 30 | 59 1/2 | 29 1/2 | 22 1/16 | 24 1/2 | 3.75 | - | - | 24 7/8 | 24 3/16 | 7.69 |
| 5 ⁰ 3 ⁰ | 60 | 36 | 59 1/2 | 35 1/2 | 22 1/16 | 30 1/2 | 4.67 | - | Y | 24 7/8 | 30 3/16 | 9.68 |
| 5 ⁰ 3 ⁶ | 60 | 42 | 59 1/2 | 41 1/2 | 22 1/16 | 36 1/2 | 5.59 | - | Y | 24 7/8 | 36 3/16 | 11.67 |
| 5 ⁰ 4 ⁰ | 60 | 48 | 59 1/2 | 47 1/2 | 22 1/16 | 42 1/2 | 6.51 | Y | Y | 24 7/8 | 42 3/16 | 13.66 |
| 5 ⁰ 4 ⁶ | 60 | 54 | 59 1/2 | 53 1/2 | 22 1/16 | 48 1/2 | 7.43 | Y | Y | 24 7/8 | 48 3/16 | 15.65 |
| 5 ⁰ 5 ⁰ | 60 | 60 | 59 1/2 | 59 1/2 | 22 1/16 | 54 1/2 | 8.35 | Y | Y | 24 7/8 | 54 3/16 | 17.64 |
| 5 ⁰ 5 ⁶ | 60 | 66 | 59 1/2 | 65 1/2 | 22 1/16 | 60 1/2 | 9.27 | Y | Y | 24 7/8 | 60 3/16 | 19.63 |
| 5 ⁰ 6 ⁰ | 60 | 72 | 59 1/2 | 71 1/2 | 22 1/16 | 66 1/2 | 10.19 | Y | Y | 24 7/8 | 66 3/16 | 21.62 |
| 6 ⁰ 2 ⁰ | 72 | 24 | 71 1/2 | 23 1/2 | 23 13/16 | 18 1/2 | 3.06 | - | - | 30 7/8 | 18 3/16 | 7.13 |
| 6 ⁰ 2 ⁶ | 72 | 30 | 71 1/2 | 29 1/2 | 23 13/16 | 24 1/2 | 4.05 | - | Y | 30 7/8 | 24 3/16 | 9.62 |
| 6 ⁰ 3 ⁰ | 72 | 36 | 71 1/2 | 35 1/2 | 23 13/16 | 30 1/2 | 5.04 | - | Y | 30 7/8 | 30 3/16 | 12.11 |
| 6 ⁰ 3 ⁶ | 72 | 42 | 71 1/2 | 41 1/2 | 23 13/16 | 36 1/2 | 6.04 | Y | Y | 30 7/8 | 36 3/16 | 14.60 |
| 6 ⁰ 4 ⁰ | 72 | 48 | 71 1/2 | 47 1/2 | 23 13/16 | 42 1/2 | 7.03 | Y | Y | 30 7/8 | 42 3/16 | 17.09 |
| 6 ⁰ 5 ⁰ | 72 | 60 | 71 1/2 | 59 1/2 | 23 13/16 | 54 1/2 | 9.01 | Y | Y | 30 7/8 | 54 3/16 | 22.07 |