






# STC Ratings

Rev: 12/28/17 by K.Pim

Operating Style	Series Numbers	Unit		Panel Glass 3	STC	EWR	OITC	Test Number
		Glass 1	Glass 2					
horizontal slider 	7120	1/8	1/8	1/8	41	40	30	TL99-296
		1/8	1/8	3/16	44	44	33	TL99-295
		1/8	1/8	LAM	45	45	35	TL99-294
		1/8	3/16	3/16	46	46	36	TL99-289
		1/8	3/16	1/4	46	47	37	TL99-290
		1/8	LAM	3/16	46	47	37	TL99-291
		1/8	LAM	LAM	47	47	38	TL99-292
		LAM	LAM	LAM	47	48	38	TL99-293
double hung 	7220	1/8	1/8	1/8	41	40	30	TL99-307
		1/8	1/8	3/16	44	44	33	TL99-308
		1/8	1/8	LAM	45	45	33	TL99-309
		1/8	3/16	3/16	45	45	33	TL99-313
		1/8	3/16	1/4	46	47	34	TL99-314
		1/8	LAM	3/16	45	46	34	TL99-311
		1/8	LAM	LAM	46	47	36	TL99-310
		1/8	LAM	LAM	46	47	36	TL99-310
picture window 	7320	1/8	1/8	1/8	40	39	30	TL99-297
		1/8	1/8	3/16	42	41	32	TL99-298
		1/8	1/8	LAM	44	43	32	TL99-299
		1/8	3/16	3/16	44	44	35	TL99-318
		1/8	3/16	1/4	45	45	37	TL99-320
		1/8	LAM	3/16	45	44	36	TL99-317
		1/8	LAM	LAM	47	46	37	TL99-316
		3/16	3/16	3/16	42	43	34	TL12-413
		LAM	LAM	LAM	48	47	38	TL99-315
awning 	7420	1/8	1/8	1/8	40	40	31	TL01-287
		1/8	1/8	3/16	42	42	31	TL01-288
		1/8	1/8	LAM	42	42	31	TL01-289
		1/8	3/16	3/16	43	43	33	TL01-293
		1/8	3/16	1/4	43	44	34	TL01-294
casement 	7520	1/8	1/8	1/8	40	39	31	TL99-300
		1/8	1/8	3/16	43	43	34	TL99-301
		1/8	1/8	LAM	44	44	36	TL99-302
		1/8	3/16	3/16	44	44	35	TL99-305
		1/8	3/16	1/4	44	45	37	TL99-306
		1/8	LAM	3/16	44	45	37	TL99-304
		1/8	LAM	LAM	45	46	37	TL99-303