




STC Ratings

Revised: 4.19.19 by K.Pim

Operating Style	Series Numbers	Glass 1	Glass 2	STC	OITC	Test Number
horizontal slider 	6110 6111 6130 6130J 6170 size tested 6040	3/32	3/32	28	23	TL99-145
		1/8	1/8	30	24	TL98-188
		1/8	3/16	32	28	TL98-183
		1/8	1/4	-	-	not tested
		1/8	LAM	35	29	TL98-182
		3/16	3/16	-	-	not tested
		3/16	1/4	-	-	not tested
		3/16	LAM	34	29	H4990.01
		1/4	1/4	-	-	not tested
		1/4	LAM	33	29	H4990.02
		LAM	LAM	35	30	TL98-181
single hung 	6210 6211 6230 6230J 6270 size tested 4060	3/32	3/32	28	23	TL99-191
		3/32	1/8	32	25	TL99-197
		3/32	1/4	32	28	TL99-196
		1/8	1/8	29	23	TL99-192
		1/8	3/16	33	27	TL99-198
		1/8	1/4	31	28	TL99-194
		1/8	LAM	34	29	TL99-199
		3/16	3/16	33	28	TL99-193
		3/16	1/4	-	-	not tested
		3/16	LAM	35	29	TL99-195
		1/4	1/4	-	-	not tested
1/4	LAM	-	-	not tested		
LAM	LAM	-	-	not tested		
picture window (slider frame) 	6310 6311 6331 6331J 6370 size tested 4060	3/32	3/32	-	-	not tested
		1/8	1/8	28	24	TL98-184
		1/8	3/16	32	27	TL98-186
		1/8	1/4	-	-	not tested
		1/8	LAM	33	28	TL98-185
		3/16	3/16	-	-	not tested
		3/16	1/4	-	-	not tested
		3/16	LAM	-	-	not tested
		1/4	1/4	-	-	not tested
		1/4	LAM	-	-	not tested
LAM	LAM	36	30	TL98-187		




STC Ratings

Revised: 4.19.19 by K.Pim

Operating Style	Series Numbers	Glass 1	Glass 2	STC	OITC	Test Number
picture window <i>(step frame)</i> 	6340 6341 6330 6330J size tested 4060	3/32	3/32	-	-	not tested
		1/8	1/8	30	25	TL98-193
		1/8	3/16	33	27	TL98-191
		1/8	1/4	-	-	not tested
		1/8	LAM	35	27	TL98-192
		3/16	3/16	-	-	not tested
		3/16	1/4	-	-	not tested
		3/16	LAM	-	-	not tested
		1/4	1/4	-	-	not tested
		1/4	LAM	36	29	TL98-189
		LAM	LAM	-	-	not tested
picture window <i>(fa/fc match)</i> 	6350 6351 6360 6375 size tested 6040	3/32	3/32	-	-	not tested
		1/8	1/8	27	21	TL12-264
		1/8	3/16	31	25	TL12-268
		1/8	1/4	32	26	TL12-267
		1/8	LAM	33	26	TL12-266
		3/16	3/16	30	24	I2131.01
		3/16	1/4	32	27	I2131.02
		3/16	LAM	34	28	I2131.03
		1/4	1/4	31	25	I2131.04
		1/4	LAM	35	28	TL12-269
		LAM	LAM	35	27	TL12-265
picture window <i>(fa/fc match)</i> 	6360J size tested using 6350 tests	3/32	3/32	-	-	not tested
		1/8	1/8	27	21	TL12-264
		1/8	3/16	31	25	TL12-268
		1/8	1/4	32	26	TL12-267
		1/8	LAM	33	26	TL12-266
		3/16	3/16	30	24	I2131.01
		3/16	1/4	32	27	I2131.02
		3/16	LAM	34	28	I2131.03
		1/4	1/4	31	25	I2131.04
		1/4	LAM	35	28	TL12-269
		LAM	LAM	35	27	TL12-265

STC Ratings

Revised: 4.19.19 by K.Pim

Operating Style	Series Numbers	Glass 1	Glass 2	STC	OITC	Test Number
awning 	6410 6411 6430 6470 size tested 5030	3/32	3/32	-	-	not tested
		1/8	1/8	29	23	TL12-261
		1/8	3/16	33	27	TL12-259
		1/8	1/4	34	28	TL12-262
		1/8	LAM	33	28	TL12-258
		3/16	3/16	28	24	I3893.01
		3/16	1/4	31	26	I3893.02
		3/16	LAM	33	27	TL12-263
		1/4	1/4	29	25	I3893.03
		1/4	LAM	36	30	TL12-260
		LAM	LAM	36	29	TL12-257
casement 	6510 6511 6530 6570 size tested 3050	3/32	3/32	-	-	not tested
		1/8	1/8	28	22	TL12-270
		1/8	3/16	32	27	TL12-273
		1/8	1/4	33	27	TL12-271
		1/8	LAM	33	27	TL12-276
		3/16	3/16	29	23	I3894.01
		3/16	1/4	32	27	I3894.02
		3/16	LAM	33	27	TL12-272
		1/4	1/4	30	26	I3894.03
		1/4	LAM	35	29	TL12-279
		LAM	LAM	33	27	TL12-274
sliding door 	6610 6630 6630J 6670 size tested 6068	1/8	1/8	28	23	TL99-217
		1/8	3/16	30	26	TL99-216
		1/8	1/4	-	-	not tested
		1/8	LAM	32	27	TL99-218
		3/16	3/16	30	26	TL99-215
		3/16	1/4	-	-	not tested
		3/16	LAM	33	29	TL99-214
		1/4	1/4	-	-	not tested
		1/4	LAM	-	-	not tested
		LAM	LAM	33	30	TL99-213